

PHARMACOGNOSY AND PHYTOCHEMISTRY

MEDICINAL PLANT GARDEN: CLASSIFICATION

Plantation Initiatives for Green Campus

MEDICINAL PLANT GARDEN: CLASSIFICATION

HERBS		SHRUBS		TREE	
Common Name		Common Name		Common Name	
Ingredient	Quantity	Ingredient	Quantity	Ingredient	Quantity
Ajwon	3	Amla	-	Coconut	3
Brahmi	-	Ashwagandha	4	Arjuna	3
Capsicum	2	Madhumalti	3	Jack fruit	2
Cactus	5	Bael	2	Nut meg	-
Aloe Vera	2	Clove	1	Eucalyptus	-
Pudina	-	Chitrak	-	Fig	1
Kalmegh	2	Jatropa	1	Neem	2
Lemon Grass	2	Datura	5	Gulmohar	4
Vekhand	-	Jambhul	1	Orange	1
Lajallu	2	Turmeric	2	Mango	4
Tulsi	3	Pepper	1	Lemon	1
Hast Jod	2	Vinca	10	Guava	2
Karela	-	Henna	2	Papaya	2
		Pomogranate	2	Lilly	10
		Putranjiva	1	Pipal	2
		Tej-Patta	2	Drumstick	1
		Vasaka	3	Ashoka	1
		Rose	1	Sita - Ashoka	1
		Mogra	5		
		Jaswand	-		
		Champa	-		
		Shatavari	-		
		Karvanda	-		

PHARMACOGNOSY AND PHYTOCHEMISTRY

MEDICINAL PLANT GARDEN: CLASSIFICATION

Sr. No	Common Name	Botanical Name	Sr. No	Common Name	Botanical Name	Sr. No	Common Name	Botanical Name
1	Ajwon	Trachyspermum ammi L. Sprague	19	Amla	Phyllanthus emblica,	37	Coconut	Cocos nucifera
2	Brahmi	Bacopa monnieri	20	Ashwagandha	Withania somnifera	38	Arjuna	Terminalia arjuna
3	Capsicum	Capsicum annum	21	Madhumalti	Combretum indicum	39	Jack fruit	Artocarpus heterophyllus
4	Cactus	Cactaceae	22	Bael	Aegle marmelos	40	Nut meg	Myristica fragrans
5	Aloe Vera	Aloe barbadensis miller	23	Clove	Syzygium aromaticum	41	Eucalyptus	Eucalyptus globulus
6	Pudina	Mentha arvensis	24	Chitrak	Plumbago zeylanica,	42	Fig	Ficus carica
7	Kalmegh	Andrographis paniculata	25	Jatropa	Jatropha	43	Neem	Azadirachta indica
8	Lemon Grass	Cymbopogon	26	Datura	Datura stramonium	44	Gulmohar	Delonix regia
9	Vekhand	Acorus calamus	27	Jambhul	Syzygium cumini	45	Orange	Citrus sinensis
10	Lajallu	Mimosa pudica	28	Turmeric	Curcuma longa	46	Mango	Mangifera indica
11	Tulsi	Ocimum tenuiflorum	29	Pepper	Piper nigrum	47	Lemon	Citrus limon
12	Hast Jod	Alkanna tinctoria	30	Vinca	Vinca	48	Guava	Psidium guajava
13	Karela	Momordica charantia	31	Henna	Lawsonia inermis	49	Papaya	Carica papaya
14	Mogra	Jasminum sambac	32	Pomogrante	Punica granatum	50	Lilly	Lilium
15	Jaswand	Hibiscus rosa-sinensis	33	Putranjiva	Putranjiva roxburghii	51	Peepal	Ficus religiosa
16	Champa	Magnolia	34	Tej-Patta	Cinnamomum	52	Drumstick	Moringa

PHARMACOGNOSY AND PHYTOCHEMISTRY

MEDICINAL PLANT GARDEN: CLASSIFICATION

		champaca			tamala			oleifera
17	Shatavari	Asparagus racemosus	35	Vasaka	Justicia adhatoda	53	Ashoka	Saraca asoca
18	Karvanda	Carissa carandas	36	Rose	Rosa rubiginosa	54	Sita - Ashoka	Saraca asoca



Vivekanand Education Society Institute of Management

Studies & Research

("A" Grade awarded by DTE Govt. of Maharashtra, Affiliated to University of Mumbai & Approved by AICTE)

Ref. No. VESIM/ 369 /2021

Date: 08/09/2021

To,
The Ward Officer,
MCGM Water Analysis Dept.,
G-North Zone,
Dadar (West).

Sub:- Drinking water Potability and Testing Report.

Respected Sir,

This Institute is an Educational Institute where around 360 students are studying Master Degree programmes i.e. MMS affiliated to University of Mumbai.

As per University, AICTE, DTE and State Govt. Directives the drinking water provided to the students should be hygienic, potable and fit for drinking.

Therefore we are hereby submitting two bottles of sample water for testing and its report from you. This water is provided by the Municipal Corporation to this Institute. We are situated at Hashu Advani Memorial Complex, Collectors Colony, Chembur, Mumbai – 400 074.

We hereby pay the necessary charges for this purpose.
Please provide us your report for this.

Thanking you & regards,

Vivek S. Prabhu
Registrar
VESIM

13 SEP 2021



MUNICIPAL LABORATORY

Centralised G/North Ward Offices
Second Floor, Room No. 49
Dadar (West), Mumbai - 400028
Tel. No. 24301551



Vesim Business School



BMPP-21801-2015-16-50,000

PH401

MUNICIPAL CORPORATION OF GREATER MUMBAI

Public Health Department

It is distinctly understood that
this report will not be used for
advertisement purposes

MUNICIPAL LABORATORY
Centralised G/North Offices, 2nd Floor,
Room No. 49, J. K. Sawant Marg,
Dadar, Mumbai-400 028.

Analysis Report

# Customer Name & Address	REPORT NO.	PC/2640 of 2021
Vivekanand Education Society Institute of Management Vesim Business School 495-497, Hashu Advani Complex, Collector's Colony, Chembur Mumbai -400 074	Sample Id.	MA/21/5553
	Date of Receipt	13.09.2021
	Quantity	1 lit
# Sample Name : Drinking Water		
Analysis Started on : 16.09.2021		Analysis Completed on : 16.09.2021

SR. NO.	TEST	RESULTS	ACCEPTABLE LIMITS	METHOD USED
1.	*Physical Appearance	Clear	Clear	By visual examination
2.	*Odour	Agreeable	Agreeable	IS 3025 Part 05:1983 Reaffirmed 2002
3.	*Turbidity	0.54 NTU	Not more than 1.0 NTU	IS 3025 Part 10:1984 Reaffirmed 2006
4.	*Dissolved Solids	52.1 mg/lit	Not more than 500.00 mg/lit.	By TDS Electrode
5.	*pH	7.27	6.5 to 8.5	IS 3025 Part 11:1983 Reaffirmed 2006
6.	*Total Hardness (As CaCO ₃)	48.0 mg/lit	Not more than 200.0 mg/lit.	IS 3025 Part 21:1983 Reaffirmed 2009
7.	*Chloride (As Cl)	18.12 mg/lit.	Not more than 250.0 mg/lit.	IS 3025 Part 32:1988 Reaffirmed 2007
8.	*Total Alkalinity (As CaCO ₃)	43.2 mg/lit.	Not more than 200.0 mg/lit.	IS 3025 Part 23:1986 Reaffirmed 2003
9.	*Nitrate (As NO ₃)	Nil	Not more than 45.0 mg/lit.	By Nitrate electrode

OPINION: The sample of Drinking Water conforms to the standards prescribed in IS:10500 of 2012, hence chemically fit for drinking purpose for the parameters tested.

Date :

17 SEP 2021

Customer Copy

AUTHORISED SIGNATORY

SHRI. M. V. HALDANKAR

Assistant Analyst

Note : 1. Sample(s) not drawn by MAL, & the results apply to the sample(s) as received & tested at the laboratory for applicable parameters.

2. Total liability of MAL, is limited to received sample quantity.

3. Analysis Report will not be reproduced partly or fully, without written approval from MAL.

*indicates the parameters are not accredited under NABL Scope

Indicates information supplied by the customer for which the laboratory has no control.

--End of Report--



BRIHANMUMBAI MAHANAGARPALIKA

PUBLIC HEALTH DEPARTMENT

MUNICIPAL ANALYST LABORATORY

Room No. 49, 2nd Floor, G/North Ward Office,

Harishchandra Yelve Marg, Dadar (W), Mumbai - 400 028.

Tel. No. : (022) 24301551, Email - municipalanalyst@gmail.com

F.No MAL/ARF/PC/02

Analysis Report

# Customer Name & Address	REPORT NO.	PC/2939 of 2022
Vivekanand Education Society's Business School 495-497, Hashu Advani-Memorial Complex, collector's Colony, Chembur Mumbai -400 074	Sample Id.	MA/22/9630
	Date of Receipt	30.07.2022
	Quantity	1 Lit
# Sample Name :- Drinking Water	Discipline	Chemical Testing
# Sample Details : ---	Group	Water
# Other information : ---	Analysis Started on	01.08.2022
	Completed on	03.08.2022

SR. NO.	TEST	RESULTS	ACCEPTABLE LIMITS	METHOD USED
1.	*Physical Appearance	Clear	Clear	By visual examination
2.	*Odour	Agreeable	Agreeable	IS 3025 Part 05:1983 Reaffirmed 2002
3.	*Turbidity	0.13 NTU	Not more than 1.0 NTU	IS 3025 Part 10:1984 Reaffirmed 2006
4.	*Dissolved Solids	53.2 mg/lit	Not more than 500.00 mg/lit.	By TDS Electrode
5.	*pH	7.2	6.5 to 8.5	IS 3025 Part 11:1983 Reaffirmed 2006
6.	*Total Hardness (As CaCO ₃)	43.5 mg/lit	Not more than 200.0 mg/lit.	IS 3025 Part 21:1983 Reaffirmed 2009
7.	*Chloride (As Cl)	13.9 mg/lit	Not more than 250.0 mg/lit.	IS 3025 Part 32:1988 Reaffirmed 2007
8.	*Total Alkalinity (As CaCO ₃)	23.7 mg/lit	Not more than 200.0 mg/lit.	IS 3025 Part 23:1986 Reaffirmed 2003
9.	*Nitrate (As NO ₃)	Nil	Not more than 45.0 mg/lit.	By Nitrate electrode
10.	*Free Residual Chlorine	0.4 mg/lit.	Not less than 0.2 mg/lit.	By chlorinometer

OPINION: The sample of Drinking Water conforms to the standards prescribed in IS:10500 of 2012, hence chemically fit for drinking purpose for the parameters tested.

Date : 5 AUG 2022

AUTHORISED SIGNATORY

SPEL. M. V. MALDANKAR
Assistant Analyst

Customer Copy / Office Copy

Checked By/ Reviewed By: (Dy. Quality Manager)

Note : 1. Sample(s) not drawn by MAL, & the results apply to the sample(s) as received & tested at the laboratory for applicable parameters.

2. Total liability of MAL, is limited to received sample quantity.

3. Analysis Report will not be reproduced partly or fully, without written approval from MAL.

4. It is distinctly understood that this report will not be used for advertisement purpose.

* indicates that the parameters are not accredited under NABL Scope.

indicates information supplied by the customer for which the laboratory has no control.

--End of Report--



ECOSTAR
RECYCLING

Certificate No. ESR/2021-22/104

CERTIFICATE OF E-WASTE DISPOSAL

MPCB Reg No. - MPCB/RO(HQ)/HSMD/Autho/20/EW-17 - Valid upto 31-12-2025

This is to certify that ***E-Waste*** received .200.Kg/No's of disposal items picked from VIVEKANAND EDUCATION SOCIETY INSTITUTE OF MANAGEMENT,
MUMBAI .

On .31/07/2021. have been Disposed off in an Environment Friendly manner as per **E-Waste Management and Handling Rules.**

We Appreciate YOUR CONTRIBUTION Towards the Green Environment.

For Ecostar Recycling




Authorized Signatory

Office Address: 1st Floor, Gala No.31,32, Khuriya Estate Opp. Ashok Apartment, CST Road, Kalina, Santacruz East, Mumbai - 400098



**Vivekanand Education Society
Institute of Management**
Studies & Research

GATE PASS

No.016

DATE:-27/01/2022

Please allow the bearer M/S. Laxmi Paper Mart with the following good/equipment's which is send for as per their request and for Non-Returnable.

Sr. No	Description	Qty	Unit	Amount	Remarks
1	CPU, HDD Splitter etc as per list attached.		Set	2,900/-	Non-Returnable
		Total		2,900/-	
	Rs. Two Thousand Nine Hundred Only.				

Item Serial No. list attached.

Good/Equipment are Being Removed/Send On Account of their requirement and Non-Returnable.

Remarks: -Non-Returnable

Receiver's Signature: [Signature]

Name of the Person: -Mr. Shantilal Gala

Mobile No: 09820350907

Name of the Authorized. [Signature] Hari Om Singh

[Signature]
Signature

Registrar





**Vivekanand Education Society
Institute of Management**
Studies & Research

GATE PASS

No.003

DATE:-08/07/2021

Please allow the bearer M/S. Laxmi Paper Mart with the following good/equipment's which is send for as per their request and for Non-Returnable.

Sr. No	Description	Qty	Unit	Amount	Remarks
1	Plastic(Chair Broken & Pipe, @10/-	7	Kg	70/-	Non-Returnable
2	MS -Table Base @25/-	44	kg	1100/-	Non-Returnable
		Total		1170/-	
	Rs. One Thousand One Hundred Seventy Only.				

Good/Equipment are Being Removed/Send On Account of their requirement and Non-Returnable.

Remarks: -Non-Returnable

Receiver's Signature: *Sh. Gala*

Name of the Person:-Mr.Shantilal Gala

Mobile No: 09820350907

Name of the Authorized. Hari Om Singh

Howl
08/07/2021

Sh. Gala
Signature
(S/c Registrar)





Vivekanand Education Society
Institute of Management
Studies & Research

GATE PASS

No.002

DATE:-05/07/2021

Please allow the bearer M/S. Laxmi Paper Mart with the following good/equipment's which is send for as per their request and for Non-Returnable.

Sr. No	Description	Qty	Unit	Amount	Remarks
1	Old News Paper @15/kg	12	Kg	180/-	Non-Returnable
2	Raddi @12/-	144	kg	1728/-	Non-Returnable
3	Plastic(Wall clock. Key Broken Key Board, @10/-,	14	kg	140/-	Non-Returnable
4	MS (Tube Light Patti) @20/-	10	kg	200/-	Non-Returnable
5	Boxes @13/-	50	kg	650/-	Non-Returnable
6	File Puttha @2	28	kg	56/-	Non-Returnable
7	Copper @600/-	2.5	kg	1500/-	Non-Returnable
8	Aluminum@100/-	1	kg	100/-	Non-Returnable
		Total		4554/-	
	Rs Four Thousand Five Hundred Fifty Four Only				

Good/Equipment are Being Removed/Send On Account of their requirement and Non-Returnable.

Remarks: -Non-Returnable

Receiver's Signature: *Sh. Gala*

Name of the Person:-Mr.Shantilal Gala

Mobile No: 09820350907

Name of the Authorized. Hari Om Singh

Signature *Sh. Bobh*





Vivekanand Education Society
Institute of Management
Studies & Research

GATE PASS

No.004

DATE:-31/07/2021

Please allow the bearer M/S. Laxmi Paper Mart with the following good/equipment's which is send for as per their request and for Non-Returnable.

Sr. No	Description	Qty	Unit	Amount	Remarks
1	CPU	20		11,000/-	Non-Returnable
2	Monitor	38			Non-Returnable
3	Sony TV LED 40"PO132/2013-14	1			Non-Returnable
4	Printer M1213 NF Old	1			Non-Returnable
		Total		11,000/-	
	Rs. Eleven Thousand Only.				

Item Serial No. list attached.

Good/Equipment are Being Removed/Send On Account of their requirement and Non-Returnable.

Remarks:-Non-Returnable

Receiver's Signature: SR Gala

Name of the Person:-Mr. Shantilal Gala

Mobile No: 09820350907

Name of the Authorized. Hari Om Singh

Signature 31/7/2021

